



Communication & Access Control Solutions

# Schools



# #1 Trusted School Security Solution Provider

**75 YEARS**

as a leader in the  
security industry.

**40K SCHOOLS**

chose Aiphone for their  
building's security solution.

**3M DOORS**

are protected by  
Aiphone intercoms.


**150 PRODUCTS**

are available to meet your  
unique security requirements.



# IX | IXG Series

## SECURITY COMMUNICATION



# FOSTER A WELL- CONNECTED CAMPUS




## CREATING SAFER SCHOOLS WITH SMART SECURITY

### Perimeter Control, Campus-Wide Communication, and Emergency Preparedness

Secure and connected schools begin with clear communication and access control. Aiphone's solutions help staff manage entry points and respond instantly, keeping everyone safe and prepared for any situation.

Our range of intercom solutions easily scale and connect with industry leading IP cameras, VMS, and mass notification systems. We can help you improve building visibility, reduce emergency response times, and streamline manual tasks.





# EMPOWER YOUR STAFF WITH TRUSTED SECURITY

## AUTHENTICATE & COMMUNICATE



### VISITOR SCREENING

Avoid security threats or unauthorised entry by identifying visitors and their intent before unlocking the entrance.



### REMOTE ENTRY

Grant access to visitors from anywhere, reducing the need to have personnel at separate entry points.



### ROOM-TO-ROOM


Immediately reach staff between offices and classrooms for open or private conversations.



### EMERGENCY CALLING


Deter criminal activity and promote safety with towers and wall boxes in areas like car parks and playgrounds.

## MANAGE ENTRY ACCESS & INTEGRATE PERIPHERALS



### CREDENTIALS

Give staff convenient access with individual credentials, such as physical cards or Bluetooth options.



### ACCESS CONTROL

Integrate with market leading access control systems to enable seamless operation and enhanced security.



### VIDEO RECORDING

Integrate with select video management systems to timestamp surveillance footage for future reference.



### CAMPUS-WIDE PAGING

Keep students and staff informed through pages, broadcast announcements, and emergency notifications.

# DOOR STATIONS



## IXG-DM7-HIDA

IP Video Entrance Station with HID® Card Reader

347 mm (H) × 182 mm (W)

- 7" touchscreen
- Customisable welcome display
- Multiple access options
- QR code visitor passes
- Built-in HID® reader
- Tamper sensor
- IK08, IP65
- Flush mount or surface mount with SBX-IXGDM7



## IX-DVM

Mullion-Mount IP Video Door Station

175 mm (H) × 48 mm (W)

- WDR HD camera
- Optional touchless calling
- 1 contact output, 1 input
- IK07, IP54



## IX-DV

IP Video Door Station

207 mm (H) × 115 mm (W)

- HD camera
- PoE passthrough
- 2 contact outputs, 6 inputs
- IK08, IP54



## IX-DVF

IP Video Door Station

265 mm (H) × 150 mm (W)

- HD Camera
- PoE passthrough
- Flush mount
- 2 contact outputs, 6 inputs
- IK08, IP65



## IX-SSA

IP Audio Door Station

265 mm (H) × 150 mm (W)

- On-board recording with a microSD™ card
- PoE passthrough
- Flush mount
- 2 contact outputs, 6 inputs
- IK08, IP65



## IX-SS-2G

IP Audio Door Station

120 mm (H) × 120 mm (W)

- 1 contact output, 1 input
- IK08, IP65



IX-EA



IX-DVF-L



IX-2DVF



IX-4DVF



**IX-MV7-HB**  
Touchscreen Answering Station with Handset

- 204 mm (H) × 280 mm (W)
- 7" touchscreen
- 8 customisable speed dial buttons
- 2 contact outputs, 4 trigger inputs
- Audio and video recording capability
- Wall or desk mount



**IX-SOFT**  
PC Answering Station Software

- Complete answering stations features
- 50 customizable speed dial buttons
- Record custom message pages
- Interactive map
- Line supervision and device check



**IX-RS-B**  
Audio Classroom Station with Handset

- 7-9/16" H 3-9/16" W 2-5/8" D
- Internal communication with other sub-stations
- 8Ω, 2W external speaker output for communication or paging
- Illuminated call button indicator
- Communication/call tone volume control switch
- 1 contact output, 1 trigger input



**IXG MOBILE APP**

- Video calling and answering
- Door release and relay control
- Intuitive user interface



IX-MV7-B



IX-MV7-W



IX-MV7-HB-L



IX-MV7-HW-JP



IX-RS-W

# EMERGENCY PRODUCTS



**IX-DVF-2RA**  
IP Video  
Emergency  
Call Station

297 mm (H) x  
178 mm (W)

- HD camera
- DDA-compliant raised lettering and braille signage
- Buttons for standard and emergency calls
- PoE passthrough
- 2 contact outputs, 6 trigger inputs
- IK08, IP65



**IX-SSA-2RA**  
IP Audio  
Emergency  
Call Station

297 mm (H) x  
178 mm (W)

- DDA-compliant raised lettering and braille signage
- Buttons for standard and emergency calls
- PoE passthrough
- 2 contact outputs, 6 trigger inputs
- IK08, IP65

French versions available:  
IX-DVF-2RA-FR, IX-DVF-RA-FR,  
IX-SSA-2RA-FR, IX-SSA-RA-FR



**IX-DVF-RA**



**IX-SSA-RA**



**TW-EM-DVFRA**  
Red Tower with  
EMERGENCY  
Lettering

Tower: 2411 mm (H) x  
150 mm (W) x  
150 mm (D)

Base: 15 mm (H) x  
295 mm (W) x  
295 mm (D)

- Non-high-intensity strobe light
- LED downlight ensures the intercom is visible at night
- Constructed from zinc shield-primed, powder-coated mild steel (stainless steel option available)



**WB-AST**  
Blue Wall Box with  
ASSISTANCE Lettering

733.2 mm (H) x  
200 mm (W) x  
172.3 mm (D)

- Compatible with IX-DVF-RA, IX-DVF-2RA, IX-SSA-RA, IX-SSA-2RA
- Non-high-intensity strobe light
- LED downlight ensures the intercom is visible at night
- Constructed from zinc shield-primed, powder-coated mild steel (stainless steel option available)



**TW-AST-DVFRA**



**WB-EM**

*Answer calls, identify visitors, and unlock doors from anywhere.*



**IXGW-TGW**  
Cloud Gateway

4-1/4" H 8-1/4" W 2-3/8" D

- PoE
- Supports up to 9,999 mobile apps
- Optional 4G LTE data connection
- Allows telephone calls from door and entrance stations
- Provides access to AiphoneCloud Remote Management



**IXW-MAA**  
Multi-Purpose Relay Adaptor

4-1/4" H 8-1/4" W 2-3/8" D

- PoE
- Ten Form C relay outputs
- Four contact inputs
- 24V AC/DC 500mA relay contact rating



**IX-MB**



**SBX-IXDV30**



**SBX-2G/AU**



**SBX-IDVF/AU**



**SBX-IDVFRA/AU**



**SBX-IXGDM7/AU**



UNCOMPROMISED SECURITY

Powered by Human Connection

[inquiry@aiphone.com.au](mailto:inquiry@aiphone.com.au)